BILLING CODE: 3510-DS-P

DEPARTMENT OF COMMERCE

International Trade Administration

[A-485-805]

Certain Small Diameter Carbon and Alloy Seamless Standard, Line and Pressure Pipe from Romania: Final Results of Antidumping Duty Administrative Review; 2011-2012

AGENCY: Import Administration, International Trade Administration, Department of

Commerce

SUMMARY: On July 10, 2013, the Department of Commerce (the Department) published the preliminary results of the administrative review of the antidumping duty order on certain small diameter carbon and alloy seamless standard, line and pressure pipe from Romania. For the final results we continue to find that ArcelorMittal Tubular Products Roman S.A. (AMTP) has not sold subject merchandise at less than normal value and that entries of subject merchandise made by Canadian Natural Resources Limited (CNRL) should be liquidated without regard to antidumping duties.

DATES: Effective [INSERT DATE OF PUBLICATION IN THE *FEDERAL REGISTER*].

FOR FURTHER INFORMATION CONTACT: Dmitry Vladimirov or Thomas Schauer,

AD/CVD Operations, Office 1, Import Administration, International Trade Administration, U.S.

Department of Commerce, 14th Street and Constitution Avenue, NW, Washington, DC 20230; telephone: (202) 482-0665, and (202) 482-0410, respectively.

Background

On July 10, 2013, the Department published the preliminary results of the administrative review of the antidumping duty order on certain small diameter carbon and alloy seamless

standard, line and pressure pipe from Romania.¹ We invited interested parties to comment on the *Preliminary Results*. We received no comments. The Department has conducted this administrative review in accordance with section 751(a) of the Tariff Act of 1930, as amended (the Act).

Scope of the Order

The products covered by the antidumping duty order include small diameter seamless carbon and alloy (other than stainless) steel standard, line, and pressure pipes and redraw hollows produced, or equivalent, to the American Society for Testing and Materials (ASTM) A-53, ASTM A-106, ASTM A-333, ASTM A-334, ASTM A-335, ASTM A-589, ASTM A-795, and the American Petroleum Institute (API) 5L specifications and meeting the physical parameters described below, regardless of application. The scope of the order also includes all products used in standard, line, or pressure pipe applications and meeting the physical parameters described below, regardless of specification. Specifically included within the scope are seamless pipes and redraw hollows, less than or equal to 4.5 inches (114.3 mm) in outside diameter, regardless of wall-thickness, manufacturing process (hot finished or cold-drawn), end finish (plain end, beveled end, upset end, threaded, or threaded and coupled), or surface finish.

The merchandise subject to the order is typically classified in the Harmonized Tariff Schedule of the United States (HTSUS) at subheadings: 7304.10.10.20, 7304.10.50.20, 7304.19.10.20, 7304.19.50.20, 7304.31.30.00, 7304.31.60.50, 7304.39.00.16, 7304.39.00.20, 7304.39.00.24, 7304.39.00.28, 7304.39.00.32, 7304.51.50.05, 7304.51.50.60, 7304.59.60.00, 7304.59.80.10, 7304.59.80.15, 7304.59.80.20, and 7304.59.80.25.

¹ See Certain Small Diameter Carbon and Alloy Seamless Standard, Line and Pressure Pipe From Romania: Preliminary Results of Antidumping Duty Administrative Review; 2011-2012, 78 FR 41369 (July 10, 2013) (Preliminary Results).

Although the HTSUS subheadings are provided for convenience and customs purposes, the written description of the merchandise is dispositive.

Specifications, Characteristics, and Uses: Seamless pressure pipes are intended for the conveyance of water, steam, petrochemicals, chemicals, oil products, natural gas and other liquids and gasses in industrial piping systems. They may carry these substances at elevated pressures and temperatures and may be subject to the application of external heat. Seamless carbon steel pressure pipe meeting the ASTM A-106 standard may be used in temperatures of up to 1000 degrees Fahrenheit, at various American Society of Mechanical Engineers (ASME) code stress levels. Alloy pipes made to ASTM A-335 standard must be used if temperatures and stress levels exceed those allowed for ASTM A-106. Seamless pressure pipes sold in the United States are commonly produced to the ASTM A-106 standard.

Seamless standard pipes are most commonly produced to the ASTM A-53 specification and generally are not intended for high temperature service. They are intended for the low temperature and pressure conveyance of water, steam, natural gas, air and other liquids and gasses in plumbing and heating systems, air conditioning units, automatic sprinkler systems, and other related uses. Standard pipes (depending on type and code) may carry liquids at elevated temperatures but must not exceed relevant ASME code requirements. If exceptionally low temperature uses or conditions are anticipated, standard pipe may be manufactured to ASTM A-333 or ASTM A-334 specifications.

Seamless line pipes are intended for the conveyance of oil and natural gas or other fluids in pipe lines. Seamless line pipes are produced to the API 5L specification.

Seamless water well pipe (ASTM A-589) and seamless galvanized pipe for fire protection uses (ASTM A-795) are used for the conveyance of water.

Seamless pipes are commonly produced and certified to meet ASTM A-106, ASTM A-53, API 5L-B, and API 5L-X42 specifications. To avoid maintaining separate production runs and separate inventories, manufacturers typically triple or quadruple certify the pipes by meeting the metallurgical requirements and performing the required tests pursuant to the respective specifications. Since distributors sell the vast majority of this product, they can thereby maintain a single inventory to service all customers.

The primary application of ASTM A-106 pressure pipes and triple or quadruple certified pipes is in pressure piping systems by refineries, petrochemical plants, and chemical plants.

Other applications are in power generation plants (electrical-fossil fuel or nuclear), and in some oil field uses (on shore and off shore) such as for separator lines, gathering lines and metering runs. A minor application of this product is for use as oil and gas distribution lines for commercial applications. These applications constitute the majority of the market for the subject seamless pipes. However, ASTM A-106 pipes may be used in some boiler applications.

Redraw hollows are any unfinished pipe or "hollow profiles" of carbon or alloy steel transformed by hot rolling or cold drawing/hydrostatic testing or other methods to enable the material to be sold under ASTM A-53, ASTM A-106, ASTM A-333, ASTM A-334, ASTM A-335, ASTM A-589, ASTM A-795, and API 5L specifications.

The scope of the order includes all seamless pipe meeting the physical parameters described above and produced to one of the specifications listed above, regardless of application, and whether or not also certified to a non-covered specification. Standard, line, and pressure applications and the above-listed specifications are defining characteristics of the scope of the order. Therefore, seamless pipes meeting the physical description above, but not produced to the ASTM A-53, ASTM A-106, ASTM A-333, ASTM A-334, ASTM A-335, ASTM A-589, ASTM

A-795, and API 5L specifications shall be covered if used in a standard, line, or pressure application.

For example, there are certain other ASTM specifications of pipe which, because of overlapping characteristics, could potentially be used in ASTM A-106 applications. These specifications generally include ASTM A-161, ASTM A-192, ASTM A-210, ASTM A-252, ASTM A-501, ASTM A-523, ASTM A-524, and ASTM A-618. When such pipes are used in a standard, line, or pressure pipe application, such products are covered by the scope of the order.

Specifically excluded from the scope of the order are boiler tubing and mechanical tubing, if such products are not produced to ASTM A-53, ASTM A-106, ASTM A-333, ASTM A-334, ASTM A-335, ASTM A-589, ASTM A-795, and API 5L specifications and are not used in standard, line, or pressure pipe applications. In addition, finished and unfinished oil country tubular goods (OCTG) are excluded from the scope of the order, if covered by the scope of another antidumping duty order from the same country. If not covered by such an OCTG order, finished and unfinished OCTG are included in this scope when used in standard, line, or pressure applications.

With regard to the excluded products listed above, the Department will not instruct CBP to require end use certification until such time as the petitioner or other interested parties provide to the Department a reasonable basis to believe or suspect that the products are being used in a covered application. If such information is provided, we will require end use certification only for the product(s) (or specification(s)) for which evidence is provided that such products are being used in covered applications as described above. For example, if, based on evidence provided by petitioner, the Department finds a reasonable basis to believe or suspect that seamless pipe produced to the A-161 specification is being used in a standard, line or pressure application, we

will require end use certifications for imports of that specification. Normally we will require only the importer of record to certify to the end use of the imported merchandise. If it later proves necessary for adequate implementation, we may also require producers who export such products to the United States to provide such certification on invoices accompanying shipments to the United States.

Final Results of the Review

We have made no changes to our calculations announced in the *Preliminary Results*. As a result of our review, we determine that a weighted-average dumping margin of 0.00 percent exists for ArcelorMittal Tubular Products Roman S.A. for the period August 1, 2011, through July 31, 2012

As discussed in the Preliminary Results, CNRL had no sales to unaffiliated customers in the United States, or to unaffiliated customers for exportation to the United States. Although CNRL entered subject merchandise for consumption during the period of review (POR), the merchandise was not sold in any form, either in the form as entered or as further manufactured; it was exported back to CNRL in Canada. As a result, consistent with our decision in *OCTG from Japan*,² antidumping duties would not be applied to CNRL's subject merchandise under current law and practice. Accordingly, we will instruct CBP to liquidate the entries at issue without regard to antidumping duties.

² See Oil Country Tubular Goods From Japan: Preliminary Results and Rescission {sic} in Part of Antidumping Duty Administrative Review, 64 FR 48589, 48590-91 (September 7, 1999) (OCTG from Japan).

Assessment Rates

In accordance with the *Final Modification*,³ the Department will instruct U.S. Customs and Border Protection (CBP) to liquidate entries for AMTP without regard to antidumping duties.

Because we found that CNRL did not sell subject merchandise to an unaffiliated customer in the United States, or to unaffiliated customers for exportation to the United States, but exported all the subject merchandise back to CNRL in Canada, we will instruct CBP to liquidate its entries covered by this review without regard to antidumping duties.

The Department clarified its "automatic assessment" regulation on May 6, 2003. This clarification will apply to entries of subject merchandise during the POR produced by AMTP for which it did not know its merchandise was destined for the United States. In such instances, we will instruct CBP to liquidate unreviewed entries at the all-others rate if there is no rate for the intermediate company(ies) involved in the transaction. For a full discussion of this clarification, *see Antidumping and Countervailing Duty Proceedings: Assessment of Antidumping Duties*, 68 FR 23954 (May 6, 2003).

We intend to issue instructions to CBP 15 days after publication of the final results of this review.

Cash Deposit Requirements

The following deposit requirements will be effective upon publication of this notice of final results of administrative review for all shipments of certain small diameter carbon and alloy seamless standard, line and pressure pipe from Romania entered, or withdrawn from

-

³ See Antidumping Proceedings: Calculation of the Weighted-Average Dumping Margin and Assessment Rate in Certain Antidumping Duty Proceedings; Final Modification, 77 FR 8101, 8102 (February 14, 2012) (Final Modification).

warehouse, for consumption on or after the date of publication, as provided by section 751(a)(1) of the Act: (1) the cash deposit rate for AMTP will be 0.00 percent, the weighted average dumping margin established in the final results of this administrative review;⁴ (2) for merchandise exported by manufacturers or exporters not covered in this review but covered in a prior segment of the proceeding, the cash deposit rate will continue to be the company-specific rate published for the most recently completed segment of this proceeding; (3) if the exporter is not a firm covered in this review, a prior review, or the original investigation but the manufacturer is, the cash deposit rate will be the rate established for the manufacturer of the merchandise for the most recently completed segment of this proceeding; (4) the cash deposit rate for all other manufacturers or exporters will continue to be 13.06 percent, the all-others rate established in *Notice of Amended Final Determination of Sales at Less Than Fair Value and Antidumping Duty Order: Certain Small Diameter Carbon and Alloy Seamless Standard, Line and Pressure Pipe From Romania*, 65 FR 48963 (August 10, 2000). These cash deposit requirements shall remain in effect until further notice. Notifications

This notice serves as a final reminder to importers of their responsibility under 19 CFR 351.402(f)(2) to file a certificate regarding the reimbursement of antidumping duties prior to liquidation of the relevant entries during this review period. Failure to comply with this requirement could result in the Secretary's presumption that reimbursement of antidumping duties occurred and the subsequent assessment of doubled antidumping duties.

This notice also serves as a reminder to parties subject to the administrative protective order (APO) of their responsibility concerning the disposition of proprietary information disclosed under APO in accordance with 19 CFR 351.305(a)(3). Timely notification of the

_

⁴ We are not establishing a cash-deposit rate for CNRL because the merchandise exported by CNRL was not sold in any form. *See* "Final Results of Review" section, above.

destruction of APO materials or conversion to judicial protective order is hereby requested.

Failure to comply with the regulations and the terms of an APO is a sanctionable violation.

We are issuing and publishing these results and this notice in accordance with sections 751(a)(1) and 777(i)(1) of the Act.

Paul Piquado Assistant Secretary for Import Administration

Dated: September 30, 2013.

[FR Doc. 2013-24838 Filed 10/22/2013 at 8:45 am; Publication Date: 10/23/2013]

9